


# TECHNICAL DATA SHEET

## ROAD KOP™ Speed Cushions

### RKP Series



- 10 Module Speed Cushion
- Overall size 78" X 80"
- Expandable in 16" X 40" increments

- Installation hardware kit is included (Lag Bolts; Washers; Caps; Anchors; Connectors and Adhesive)



#### PRODUCT SPECIFICATIONS

- Each component unit shall be 3" high
- Side gradient shall be between 1:4 and 1:8
- Ramp gradient shall be between 1:8 and 1:10
- Leading transition edge shall not exceed .5"
- Cushion length minimum is 80"
- Cushion width minimum is 78"
- Cushions are black in color
- Markings in a white split leg triangular shape and integral to the pre-formed rubber composite


As Shown  
RKP- C1011-K  
with 2 optional  
arrows

#### MATERIAL SPECIFICATIONS


- Recycled Rubber composite
- Tensile Strength ..... 500 psi (minimum)
- Hardness ..... 65 Shore A (minimum)
- Specific Gravity ..... 1.13
- Skid Resistance ..... 89 (Dry)
- Deform Rate ..... None (100% Recovery)
- Chemical Resistance ..... Impervious to engine oil, road salts, transmission fluid, anti-freeze, gasoline/ diesel fuel, solvents, outdoor exposure including extreme hot or cold temperatures.
- Conformable to pavement variances without curling.




RKP- C1011-1-K



RKP- C1012-K



RKP- C1011-3-K



RKP- C1011-6-K